

# AccessData PRTK 8.0 and DNA 8.0 Release Notes

Document Date: Sept 19, 2016

©2016 AccessData Group, Inc. All rights reserved.

## Introduction

This document includes information about this release of AccessData® PRTK® and DNA®. Please be aware that all known issues published under previous release notes still apply until they are listed under a “Fixed Issues” section.

For convenience, the Release Notes from previous versions are included at the end of this document.

- [AccessData PRTK 7.9 and DNA 7.9 Release Notes](#) (page 4)
- [AccessData PRTK 7.8 and DNA 7.8 Release Notes](#) (page 6)
- [AccessData PRTK 7.7 and DNA 7.7 Release Notes](#) (page 8)
- [AccessData PRTK 7.6 and DNA 7.6 Release Notes](#) (page 10)

## 8.0 What's New

- Support for VeraCrypt has been added to the TrueCrypt module.
- PRTK/DNA now supports json files from Firefox versions 33 and later.
- The minimum requirements for running on Windows is now Windows Vista 64-bit.
- The minimum requirements for a DNA worker on Linux is now Fedora 23 or 24.
- Running PRTK, DNA, and DNA workers on 32-bit systems and PlayStation 3 is no longer supported.
- The *Disconnect* button has been removed from the *File* menu.
- The *Stop workers on mouse or keyboard input* option has been removed from the *Worker Preferences* dialog.

## 8.0 Fixed Issues

The following items are resolved issues in this release:

- When dropping a file that has sheet, workbook, or write protect attributes set from Office 2016, the passwords are now found. (39396)
- The drop folder works properly in DNA if GUI is connected to a remote supervisor. (35151)
- If a file is put into the DropFolder, and an error decrypting the file occurs, the file is removed from the DropFolder and an error is recorded in the PRTK.log file. (40687)
- You can no longer configure the software to use the DropFolder and also decrypt the file and *Save in the same directory as the encrypted file*. This combination was causing errors in the DropFolder. (40685)
- The properties of a SAM job properly display the user name. (36023)
- An expired CodeMeter dongle will allow you to use DNA in Demo mode which lets you process ZIP, PGP, and PGPDisk files. (35521)
- If the supervisor service is restarted while the Supervisor GUI is running, the GUI is able to re-establish the connection. (34695)
- Reconnecting GUI to the Supervisor with IP address on a local machine (rather than using localhost or 127.0.0.1) will now allow you to add jobs. (35424)
- A proper error occurs when adding a job from a remote connected version of DNA. (34584)
- If you enter an incorrect supervisor IP when changing the connection, the connection with the original supervisor is maintained properly. (36565)
- Fixed an error that occurred when adding some Excel .xls files from Microsoft Office XP. (33972)
- Fixed an issue when scrolling in the Dictionary Browser, the utility could hang. (34777)
- Fixed an issue when processing multiple files at the same time, some passwords were missed. (22844)

## 8.0 Known Issues

The following items are the known issues in this release:

- If a user updates a dictionary on the supervisor after previously using it, it can cause the job to fail. When it tries to process a job using the new dictionary, the password is not found and the rule tab reveals that there are red (failed) processing rules. (37524)

Workaround: Restart DNA or the Worker.

## Important Information

The following is important information for you to be aware of:

- All Workers need to be updated to the latest version of the shipping build of DNA as there have been changes which will not allow an older Worker to process jobs. Following the upgrade of DNA, Workers can be installed manually or the Worker update can be accomplished through a Group Policy. For more information, see the topic “Setting up a Group Policy” in the PRTK/DNA User’s Guide.

- If upgrading from a previous version of DNA or PRTK, please consider the following.  
If you have custom settings (dictionaries, rules, profiles) that you would like to retain, you must grant the current desktop user full permissions on the following directory.

For Window 7, Windows Vista, Windows Server 2008:

C:\ProgramData\AccessData\PR

For Windows XP:

C:\Documents and Settings\All Users\Application Data\AccessData\PR

## Comments?

We value all feedback from our customers. Please contact us at [support@accessdata.com](mailto:support@accessdata.com), or send documentation issues to [documentation@accessdata.com](mailto:documentation@accessdata.com).

# AccessData PRTK 7.9 and DNA 7.9 Release Notes

Document Date: October 5, 2015

©2015 AccessData Group, Inc. All rights reserved.

## Introduction

This document includes information about this release of AccessData® PRTK® and DNA®. Please be aware that all known issues published under previous release notes still apply until they are listed under a “Fixed Issues” section.

For convenience, the Release Notes from previous versions are included at the end of this document.

- [AccessData PRTK 7.8 and DNA 7.8 Release Notes](#) (page 6)
- [AccessData PRTK 7.7 and DNA 7.7 Release Notes](#) (page 8)
- [AccessData PRTK 7.6 and DNA 7.6 Release Notes](#) (page 10)

## 7.9 Fixed Issues

The following items are resolved issues in this release:

- To avoid conflicts, ports are now configured automatically and change each session. (30184)

## Important Information

The following is important information for you to be aware of:

- All Workers need to be updated to the latest version of the shipping build of DNA as there have been changes which will not allow an older Worker to process jobs. Following the upgrade of DNA, Workers can be installed manually or the Worker update can be accomplished through a Group Policy. For more information, see the topic “Setting up a Group Policy” in the PRTK/DNA User’s Guide.
- If upgrading from a previous version of DNA or PRTK, please consider the following.  
If you have custom settings (dictionaries, rules, profiles) that you would like to retain, you must grant the current desktop user full permissions on the following directory.

For Window 7, Windows Vista, Windows Server 2008:

C:\ProgramData\AccessData\PR

For Windows XP:

C:\Documents and Settings\All Users\Application Data\AccessData\PR

## Comments?

We value all feedback from our customers. Please contact us at [support@accessdata.com](mailto:support@accessdata.com), or send documentation issues to [documentation@accessdata.com](mailto:documentation@accessdata.com).

# AccessData PRTK 7.8 and DNA 7.8 Release Notes

Document Date: August 25, 2015

©2015 AccessData Group, Inc. All rights reserved.

## Introduction

This document includes information about the AccessData® PRTK® 7.8 and DNA® 7.8 release. Please be aware that all known issues published under previous release notes still apply until they are listed under a “Fixed Issues” section.

For convenience, the Release Notes from previous versions are included at the end of this document.

- [AccessData PRTK 7.7 and DNA 7.7 Release Notes](#) (page 8)
- [AccessData PRTK 7.6 and DNA 7.6 Release Notes](#) (page 10)

## 7.8 Enhancements

The following enhancements have been added in this release:

- You can now get passwords from Mac 10.9 and 10.10 systems.
- The As-Is level will remain selected when the “Select None” button is clicked. Otherwise, no dictionary job will run.

## 7.8 Fixed Issues

The following items are resolved issues in this release:

- When running a DNA Worker on Fedora, the worker interface now displays properly. (25995)
- Running encryption jobs on TrueCrypt 7.1a files are now executed successfully. (2557, 18295)
- Creating a permutation dictionary with the same number of words in the text file as the permutation composition setting no longer causes the dictionary utility to stop functioning and the dictionary is now generated. (25964)
- You can now work with Windows Protected Registry for encryption with passwords or bad master key files.
- When adding certain file types, such as QuickBooks QBW and Mozilla DB files into DNA, jobs are created correctly. (20603)
- Fixed an issue that caused some FileVault 2 images that are user-configured to not use a passphrase, to not be recognized by the FileVault module. (30236)

# Important Information

The following is important information for you to be aware of:

- All Workers need to be updated to the latest version of the shipping build of DNA as there have been changes which will not allow an older Worker to process jobs. Following the upgrade of DNA, Workers can be installed manually or the Worker update can be accomplished through a Group Policy. For more information, see the topic “Setting up a Group Policy” in the PRTK/DNA User’s Guide.
- If upgrading from a previous version of DNA or PRTK, please consider the following. If you have custom settings (dictionaries, rules, profiles) that you would like to retain, you must grant the current desktop user full permissions on the following directory.

For Window 7, Windows Vista, Windows Server 2008:

C:\ProgramData\AccessData\PR

For Windows XP:

C:\Documents and Settings\All Users\Application Data\AccessData\PR

## Comments?

We value all feedback from our customers. Please contact us at [support@accessdata.com](mailto:support@accessdata.com), or send documentation issues to [documentation@accessdata.com](mailto:documentation@accessdata.com).

# AccessData PRTK 7.7 and DNA 7.7 Release Notes

Document Date: November 18, 2014

©2014 AccessData Group, Inc. All rights reserved.

## Introduction

This document includes information about the AccessData® PRTK® 7.6 and DNA® 7.6 release. Please be aware that all known issues published under previous release notes still apply until they are listed under a “Fixed Issues” section.

For convenience, the Release Notes from previous versions are included at the end of this document.

- [AccessData PRTK 7.6 and DNA 7.6 Release Notes](#) (page 10)

## Important Information

The following is important information for you to be aware of:

- All Workers need to be updated to the latest version of the shipping build of DNA as there have been changes which will not allow an older Worker to process jobs. Following the upgrade of DNA, Workers can be installed manually or the Worker update can be accomplished through a Group Policy. For more information, see the topic “Setting up a Group Policy” in the PRTK/DNA User’s Guide.
- If upgrading from a previous version of DNA or PRTK, please consider the following. If you have custom settings (dictionaries, rules, profiles) that you would like to retain, you must grant the current desktop user full permissions on the following directory.  
For Window 7, Windows Vista, Windows Server 2008:  
C:\ProgramData\AccessData\PR

For Windows XP:

C:\Documents and Settings\All Users\Application Data\AccessData\PR

## 7.7 Fixed Issues

The following items are resolved issues in this release:

- Removable drives encrypted with FileVault 2 are now properly detected and decrypted. (13354)
- Documents with unencrypted "encrypted" streams are now decrypted correctly. (15970)
- Windows 8.1 Sam/System attack now uses all user accounts. (14565)



- Fixed an issue that caused false detections to appear for DriveCrypt version 3. (22094)
- Some issues with password processing in Keychain have been resolved.

## 7.7 Known Issues

The following items are the known issues in this release:

- The Mac worker does not work on OS 10.10 (Yosemite).
- If you install the KFF Server (for FTK, AD Lab, or AD Enterprise) on the same computer as PRTK/DNA, you may experience port conflicts that prevent PRTK/DNA from functioning properly. You can change the ports that PRTK/DNA uses. Refer to the *Configuring Ports to Avoid Conflicts* section on page 69 of the *PRTK/DNA User Guide*.

## Comments?

We value all feedback from our customers. Please contact us at [support@accessdata.com](mailto:support@accessdata.com), or send documentation issues to [documentation@accessdata.com](mailto:documentation@accessdata.com).

# AccessData PRTK 7.6 and DNA 7.6 Release Notes

Document Date: May 27, 2014

©2014 AccessData Group, Inc. All rights reserved.

## Introduction

This document includes information about the AccessData® PRTK® 7.6 and DNA® 7.6 release. Please be aware that all known issues published under previous release notes still apply until they are listed under a “Fixed Issues” section.

## Important Information

The following is important information for you to be aware of:

- All Workers need to be updated to the latest version of the shipping build of DNA as there have been changes which will not allow an older Worker to process jobs. Following the upgrade of DNA, Workers can be installed manually or the Worker update can be accomplished through a Group Policy. For more information, see the topic “Setting up a Group Policy” in the PRTK/DNA User’s Guide.
- If upgrading from a previous version of DNA or PRTK, please consider the following. If you have custom settings (dictionaries, rules, profiles) that you would like to retain, you must grant the current desktop user full permissions on the following directory.  
For Window 7, Windows Vista, Windows Server 2008:  
C:\ProgramData\AccessData\PR  
  
For Windows XP:  
C:\Documents and Settings\All Users\Application Data\AccessData\PR

## 7.6 Application Changes

The following items are new and improved features or feature enhancements for this release:

- Ability to configure the port (GUI IPC) that allows you to avoid conflicts when using *Auto Decrypt* in FTK.

## 7.6 Fixed Issues

The following items are resolved issues in this release:

- Changed the icon for the program from “Supervisor” to “DNA” upon new installations. (7187)
- When adding jobs in *Auto Decrypt*, any error messages continue to display until you close them. (7465)
- With DNA running, clicking **Cancel** on an FTK job that is pending no longer generates an error. (9760)
- During an Auto Decrypt job in FTK, closing PRTK no longer causes issues. (7698)

## 7.6 Known Issues

The following items are the known issues in this release:

- N/A

## Comments?

We value all feedback from our customers. Please contact us at [support@accessdata.com](mailto:support@accessdata.com), or send documentation issues to [documentation@accessdata.com](mailto:documentation@accessdata.com).